

# SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

#### Product Identifier

Product name	Jeffries Composts and Mulches
Synonyms	Jeffries Organic Compost, Jeffries Forest Mulch, Jeffries Dura
	Mulch, Jeffries Recover Mulch, Jeffries Rustic Choice, Jeffries
	Landscapers Choice Mulch-Medium, Jeffries Landscapers
	Choice Mulch-Coarse, Jeffries Gardeners Choice Mulch
Other means of identification	Not Available

#### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Soil amendment and mulching

#### Details of the supplier of the safety data sheet

Registered company name	Jeffries Group
Address	412 Hanson Road North Wingfield South Australia 5013
	Australia
Telephone	+61 8 8368 3588
Fax	+61 8 8368 3588
Website	www.jeffries.com.au
Email	info@jeffries.com.au

#### **Emergency telephone number**

Association / Organisation Not	Chemwatch
Available	
Emergency telephone	Australia: +61 1800 951 288 (Toll Free – 24x7)
numbers	New Zealand: +64 800 700 112 (Toll Free – 24x7)
Other emergency telephone	+61 8 8368 3555 (Business Hours)
numbers	

# **SECTION 2 HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

# NON-HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	Not Applicable
Classification [1]	Not Applicable

Label elements	
Hazard pictogram(s)	Not Applicable
SIGNAL WORD	NOT APPLICABLE
Hazard statement(s)	Not Applicable
Precautionary statement(s) Preven	ntion Not Applicable
Precautionary statement(s) Respo	Not Applicable
Precautionary statement(s) Storag	ge Not Applicable
Precautionary statement(s) Dispos	sal Not Applicable

### **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

#### Substances

See section below for composition of Mixtures

#### Mixtures

CAS No	%[weight]	Name
Not Available	100	Ingredients determined not to be hazardous

### **SECTION 4 FIRST AID MEASURES**

#### Description of first aid measures

Eye Contact	If this product comes in contact with eyes:
	<ul> <li>Wash out immediately with water.</li> </ul>
	- If irritation continues, seek medical attention.
	<ul> <li>Removal of contact lenses after an eye injury should only be</li> </ul>
	undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs:
	<ul> <li>Flush skin and hair with running water (and soap if available).</li> </ul>
	<ul> <li>Seek medical attention in event of irritation.</li> </ul>
Inhalation	- If fumes, aerosols or combustion products are inhaled remove from
	contaminated area.
	<ul> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>Immediately give a glass of water.</li> </ul>
	<ul> <li>First aid is not generally required. If in doubt, contact a Poisons</li> </ul>
	Information Centre or a doctor.

# Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5 FIREFIGHTING MEASURES**

#### Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

#### Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.
----------------------	-------------

#### Advice for firefighters

Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves in the event of a fire.</li> <li>Prevent, by any means available, spillage from entering drains or water courses.</li> <li>Use fire fighting procedures suitable for surrounding area.</li> <li>DO NOT approach containers suspected to be hot.</li> <li>Cool fire exposed containers with water spray from a protected location.</li> </ul>
	<ul> <li>If safe to do so, remove containers from path of fire.</li> <li>Equipment should be thoroughly decontaminated after use.</li> </ul>
Fire / Explosion	- Non-combustible.
Hazard	<ul> <li>Not considered a significant fire risk, however containers may burn.</li> </ul>
HAZCHEM	Not Applicable

### **SECTION 6 ACCIDENTAL RELEASE MEASURES**

# Personal precautions, protective equipment and emergency procedures

See section 8

#### **Environmental precautions**

See section 12

#### Methods and material for containment and cleaning up

Minor Spills	- Clean up all spills immediately.
	- Avoid contact with skin and eyes.
	<ul> <li>Wear impervious gloves and safety glasses.</li> </ul>
	<ul> <li>Use dry clean up procedures and avoid generating dust.</li> </ul>
	<ul> <li>Vacuum up (consider explosion-proof machines designed to be</li> </ul>
	grounded during storage and use).
	- Do <b>NOT</b> use air hoses for cleaning.
	<ul> <li>Place spilled material in clean, dry, sealable, labelled container.</li> </ul>
Major Spills	<ul> <li>Clear area of personnel and move upwind.</li> </ul>
	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> </ul>
	<ul> <li>Control personal contact with the substance, by using protective</li> </ul>
	equipment and dust respirator.
	<ul> <li>Prevent spillage from entering drains, sewers or water courses.</li> </ul>

-	Avoid generating dust.
-	Sweep, shovel up. Recover product wherever possible.
-	Put residues in labelled plastic bags or other containers for disposal.
-	If contamination of drains or waterways occurs, advise emergency services.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

# SECTION 7 HANDLING AND STORAGE

#### Precautions for safe handling

Safe handling	Limit all unnecessary personal contact
Sale nanuling	- Limit all unnecessary personal contact.
	- Wear protective clothing when risk of exposure occurs.
	- Use in a well-ventilated area.
	<ul> <li>Avoid contact with incompatible materials.</li> </ul>
	<ul> <li>When handling, DO NOT eat, drink or smoke.</li> </ul>
	<ul> <li>Keep containers securely sealed when not in use.</li> </ul>
	<ul> <li>Avoid physical damage to containers.</li> </ul>
	<ul> <li>Always wash hands with soap and water after handling.</li> </ul>
	<ul> <li>Work clothes should be laundered separately.</li> </ul>
	- Use good occupational work practice.
	- Observe manufacturer's storage and handling recommendations
	contained within this SDS.
	- Atmosphere should be regularly checked against established
	exposure standards to ensure safe working conditions are
	maintained.
Other information	- Store in original containers.
	- Keep containers securely sealed.
	- Store in a cool, dry area protected from environmental extremes.
	- Store away from incompatible materials and foodstuff containers.
	<ul> <li>Protect containers against physical damage and check regularly</li> </ul>
	for leaks.
	<ul> <li>Observe manufacturer's storage and handling recommendations</li> </ul>
	contained within this SDS.
	For major quantities:
	- Consider storage in bunded areas - ensure storage areas are
	isolated from sources of community water (including stormwater,
	ground water, lakes and streams).
	<ul> <li>Ensure that accidental discharge to air or water is the subject of a</li> </ul>
	contingency disaster management plan; this may require
	consultation with local authorities.

#### Conditions for safe storage, including any incompatibilities

Suitable container	- Lined metal can, lined metal pail/ can.
	- Plastic pail.
	- Polyliner drum.
	<ul> <li>Packing as recommended by manufacturer.</li> </ul>

	- Check all containers are clearly labelled and free from leaks.		
Storage	Avoid contamination of water, foodstuffs, feed or seed.		
incompatibility	None known		

# **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### **Control parameters**

# **OCCUPATIONAL EXPOSURE LIMITS (OEL)**

#### **INGREDIENT DATA**

Not Available

#### **EMERGENCY LIMITS**

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
Jeffries Composts and	Not Available	Not Available	Not Available	Not Available
Mulches				

Ingredient	Original IDLH	Revised IDLH
Jeffries Composts and	Not Available	Not Available
Mulches		

#### Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.
	<ul> <li>The basic types of engineering controls are: <ul> <li>Process controls which involve changing the way a job activity or process is done to reduce the risk.</li> <li>Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.</li> <li>Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use.</li> <li>Employers may need to use multiple types of controls to prevent employee overexposure.</li> </ul> </li> </ul>
	Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction. If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory protection should be considered.

(a): particle duct recoira	f:	
<ul> <li>(a): particle dust respirators, if necessary, combined with an absorption cartridge;</li> </ul>		
absorption cartridge;		
	h absorption cartridge or canist	er of the
right type;		
<ul> <li>(c): fresh-air hoods or m</li> </ul>	asks.	
Air contaminants generated in t	he workplace possess varving "	scano"
velocities which, in turn, determ		-
circulating air required to effect	-	10311
circulating an required to effect		
Type of Contaminant:	Air Speed:	ן
direct spray, spray painting	1-2.5 m/s (200-500 f/min.)	
in shallow booths, drum	1-2.5 11/3 (200-500 1/1111.)	
filling, conveyer loading,		
crusher dusts, gas discharge		
(active generation into zone		
of rapid air motion)		
grinding, abrasive blasting,	2.5-10 m/s (500-2000 f/min.)	
tumbling, high speed wheel		
generated dusts (released at		
high initial velocity into zone		
high initial velocity into zone of very high rapid air		
of very high rapid air motion).	ate value depends on:	
of very high rapid air motion). Within each range the appropria	·	
of very high rapid air motion). Within each range the appropria Lower end of the range	Upper end of the range	
of very high rapid air motion). Within each range the appropria Lower end of the range 1: Room air currents minimal	Upper end of the range 1: Disturbing room air	
of very high rapid air motion). Within each range the appropria Lower end of the range 1: Room air currents minimal or favourable to capture	Upper end of the range 1: Disturbing room air currents	
of very high rapid air motion). Within each range the appropria Lower end of the range 1: Room air currents minimal or favourable to capture 2: Contaminants of low	Upper end of the range 1: Disturbing room air currents 2: Contaminants of high	
of very high rapid air motion). Within each range the appropria Lower end of the range 1: Room air currents minimal or favourable to capture 2: Contaminants of low toxicity or of nuisance value	Upper end of the range 1: Disturbing room air currents	
of very high rapid air motion). Within each range the appropria Lower end of the range 1: Room air currents minimal or favourable to capture 2: Contaminants of low toxicity or of nuisance value only.	Upper end of the range 1: Disturbing room air currents 2: Contaminants of high toxicity	
of very high rapid air motion). Within each range the appropria Lower end of the range 1: Room air currents minimal or favourable to capture 2: Contaminants of low toxicity or of nuisance value only. 3: Intermittent, low	Upper end of the range 1: Disturbing room air currents 2: Contaminants of high	
of very high rapid air motion). Within each range the appropria Lower end of the range 1: Room air currents minimal or favourable to capture 2: Contaminants of low toxicity or of nuisance value only. 3: Intermittent, low production.	Upper end of the range 1: Disturbing room air currents 2: Contaminants of high toxicity 3: High production, heavy use	
of very high rapid air motion). Within each range the appropria Lower end of the range 1: Room air currents minimal or favourable to capture 2: Contaminants of low toxicity or of nuisance value only. 3: Intermittent, low	Upper end of the range 1: Disturbing room air currents 2: Contaminants of high toxicity 3: High production, heavy	

Personal				
protection				
Eye and face	<ul> <li>Safety glasses with side shields</li> <li>Chemical goggles.</li> </ul>			
protection	<ul> <li>Contact lenses may pose a special hazard; soft contact lenses may</li> </ul>			
	absorb and concentrate irritants. A written policy document,			
	describing the wearing of lenses or restrictions on use, should be			
	created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and			
	an account of injury experience. Medical and first-aid personnel			
	should be trained in their removal and suitable equipment should			
	be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as			
	practicable. Lens should be removed at the first signs of eye redness			
	or irritation - lens should be removed in a clean environment only			
	after workers have washed hands thoroughly. [CDC NIOSH Current			
Skin protection	Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent] See Hand protection below			
Hands/feet	The selection of suitable gloves does not only depend on the material, but			
protection	also on further marks of quality which vary from manufacturer to			
	manufacturer. Where the chemical is a preparation of several substances,			
	the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.			
	The exact break through time for substances has to be obtained from the			
	manufacturer of the protective gloves and has to be observed when making a final choice.			
	Personal hygiene is a key element of effective hand care. Gloves must only			
	be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is			
	recommended.			
	Suitability and durability of glove type is dependent on usage. Important factors in the selection of gloves include:			
	- frequency and duration of contact,			
	- chemical resistance of glove material,			
	<ul> <li>glove thickness and</li> <li>dexterity</li> </ul>			
	uckterity			
	Select gloves tested to a relevant standard (e.g. Europe EN 374, US F739,			
	AS/NZS 2161.1 or national equivalent). <ul> <li>When prolonged or frequently repeated contact may occur, a glove</li> </ul>			
	with a protection class of 5 or higher (breakthrough time greater			
	than 240 minutes according to EN 374, AS/NZS 2161.10.1 or			
	national equivalent) is recommended.			
	<ul> <li>When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes</li> </ul>			
L				

	according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended.
	<ul> <li>Some glove polymer types are less affected by movement and this should be taken into account when considering gloves for long-term</li> </ul>
	use.
	<ul> <li>Contaminated gloves should be replaced.</li> </ul>
A	As defined in ASTM F-739-96 in any application, gloves are rated as:
	<ul> <li>Excellent when breakthrough time &gt; 480 min</li> <li>Good when breakthrough time &gt; 20 min</li> </ul>
	<ul> <li>Fair when breakthrough time &lt; 20 min</li> </ul>
	<ul> <li>Poor when glove material degrades</li> </ul>
	for general applications, gloves with a thickness typically greater than 0.35 nm, are recommended.
p e g c	t should be emphasised that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material. Therefore, glove selection should also be based on consideration of the task requirements and knowledge of breakthrough imes.
g d a c	Glove thickness may also vary depending on the glove manufacturer, the glove type and the glove model. Therefore, the manufacturers' technical data should always be taken into account to ensure selection of the most appropriate glove for the task. Note: Depending on the activity being conducted, gloves of varying thickness may be required for specific tasks. For example:
	<ul> <li>Thinner gloves (down to 0.1 mm or less) may be required where a high degree of manual dexterity is needed. However, these gloves are only likely to give short duration protection and would normally be just for single use applications, then disposed of.</li> <li>Thicker gloves (up to 3 mm or more) may be required where there is a mechanical (as well as a chemical) risk i.e. where there is abrasion or puncture potential.</li> </ul>
b	Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed noisturiser is recommended.
n	Experience indicates that the following polymers are suitable as glove naterials for protection against undissolved, dry solids, where abrasive particles are not present. - polychloroprene. - nitrile rubber. - butyl rubber. - fluorocaoutchouc. polyvinyl chloride
	- polyvinyl chloride.
	Gloves should be examined for wear and/ or degradation constantly.

Body protection	See Other protection below		
Other protection	No special equipment needed when handling small quantities.		
	OTHERWISE:		
	- Overalls.		
	- Barrier cream.		
	- Eyewash unit.		

#### **Respiratory protection**

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

- Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.
- The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).
- Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.
- Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.
- Use approved positive flow mask if significant quantities of dust becomes airborne.
- Try to avoid creating dust conditions.

# SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Appearance	Brown to black organic solids			
Physical state	Divided Solid	Relative density (Water	Not Available	
		=1)		
Odour	Mild earthy to no	n-octanol / water	Not Available	
	odour			
Odour threshold	Not Available	Auto-ignition	Not Available	
		temperature (°C)		
pH (as supplied)	Not Available	Decomposition	Not Available	
		temperature		
Melting point / freezing	Not Applicable	Viscosity (cSt)	Not Available	
point (°C)				
Initial boiling point and	Not Applicable	Molecular weight (g/mol)	Not Applicable	
boiling range (°C)				
Flash point (°C)	Not Available	Taste	Not Available	
Evaporation rate	Not Applicable	Explosive properties	Not Available	
Flammability	Not Available	Oxidising properties	Not Available	
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm	Not Applicable	
		or mN/m)		
Lower Explosive Limit (%)	Not Available	Volatile Component	Not Available	
		(%vol)		

Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Partly miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

# SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7	
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.	
Possibility of	See section 7	
hazardous reactions		
Conditions to avoid	See section 7	
Incompatible	See section 7	
materials		
Hazardous	See section 5	
decomposition		
products		

# SECTION 11 TOXICOLOGICAL INFORMATION

### Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.
	Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled.
	If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures.
Ingestion	The material has <b>NOT</b> been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.
Еуе	Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may cause transient discomfort characterised by tearing or conjunctival redness (as with windburn). Slight abrasive damage may also result.

Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless, exposure by all routes should be minimised as a matter of course.
	Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis, caused by particles less than 0.5 micron penetrating and remaining in the lung.

Jeffries Compost and Mulches	ΤΟΧΙΟΙΤΥ	IRRITATION
	Not Available	Not Available
Legend:	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity	
	2.* Value obtained from manufacturer's SDS. Unless otherwise specified	
	data extracted from RTECS - Register of Toxic Effect of chemical	
	Substances	

Acute Toxicity	Data either not available or does not fill the criteria for classification	Carcinogenicity	Data either not available or does not fill the criteria for classification
Skin Irritation/Corrosion	Data either not available or does not fill the criteria for classification	Reproductivity	Data either not available or does not fill the criteria for classification
Serious Eye Damage/Irritation	Data either not available or does not fill the criteria for classification	STOT - Single Exposure	Data either not available or does not fill the criteria for classification
Respiratory or Skin sensitisation	Data either not available or does not fill the criteria for classification	STOT - Repeated Exposure	Data either not available or does not fill the criteria for classification
Mutagenicity	Data either not available or does not fill the criteria for classification	Aspiration Hazard	Data either not available or does not fill the criteria for classification

# **SECTION 12 ECOLOGICAL INFORMATION**

### Toxicity

ENDPOINT	<b>TEST DURATION</b>	SPECIES	VALUE	SOURCE
	(HR)			
Not Available	Not Available	Not Available	Not Available	Not Available
Extracted from				
- 1. IUCLID Toxicity Data				
- 2. Europe ECHA Registered Substances - Ecotoxicological Information -				
Aquatic Toxicity				
- 3. EPIV	VIN Suite V3.12 (QS	SAR) - Aquatic To	oxicity Data (Estim	ated)
	Not Available Extracted from - 1. IUCL - 2. Euro Aquati	(HR)       Not Available     Not Available       Extracted from     -       -     1. IUCLID Toxicity Data       -     2. Europe ECHA Registere       Aquatic Toxicity	(HR)         Not Available       Not Available         Extracted from       -         -       1. IUCLID Toxicity Data         -       2. Europe ECHA Registered Substances - E         Aquatic Toxicity	(HR)       Not Available       Not Available         Not Available       Not Available       Not Available         Extracted from       -       1. IUCLID Toxicity Data         -       2. Europe ECHA Registered Substances - Ecotoxicological Injugatic Toxicity

- 4. US EPA, Ecotox database - Aquatic Toxicity Data
- 5. ECETOC Aquatic Hazard Assessment Data
- 6. NITE (Japan) - Bioconcentration Data
- 7. METI (Japan) - Bioconcentration Data
- 8. Vendor Data

#### **DO NOT** discharge into sewer or waterways.

#### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

#### **Bio-accumulative potential**

Ingredient	Bioaccumulation	
	No Data available for all ingredients	

#### Mobility in soil

Ingredient	Mobility	
	No Data available for all ingredients	

# SECTION 13 DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Product / Packaging	<ul> <li>DO NOT allow wash water from cleaning or process equipment to enter drains.</li> </ul>
disposal	<ul> <li>It may be necessary to collect all wash water for treatment before disposal.</li> </ul>
	<ul> <li>In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.</li> </ul>
	- Where in doubt contact the responsible authority.
	<ul> <li>Recycle wherever possible or consult manufacturer for recycling options.</li> </ul>
	- Consult State Land Waste Management Authority for disposal.
	- Bury residue in an authorised landfill.
	- Recycle containers if possible, or dispose of in an authorised landfill.

### **SECTION 14 TRANSPORT INFORMATION**

#### Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

#### Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

#### Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code: NOT APPLICABLE

### **SECTION 15 REGULATORY INFORMATION**

#### Safety, health and environmental regulations / legislation specific for the substance or mixture

Not Applicable

#### **SECTION 16 OTHER INFORMATION**

#### SDS Version Summary

Issue #	Issue Date	Sections Updated
1	01/08/2011	First version
2	01/08/2016	Second version
3	04/12/2020	GHS compliant version

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

#### Definitions and abbreviations

PC – TWA:	Permissible Concentration-Time Weighted Average
PC - STEL:	Permissible Concentration-Short Term Exposure Limit
IARC: ACGIH: STEL:	International Agency for Research on Cancer American Conference of Governmental Industrial Hygienists Short Term Exposure Limit
TEEL:	Temporary Emergency Exposure Limit。
IDLH:	Immediately Dangerous to Life or Health Concentrations
OSF:	Odour Safety Factor
NOAEL:	No Observed Adverse Effect Level
LOAEL:	Lowest Observed Adverse Effect Level
TLV:	Threshold Limit Value
LOD:	Limit of Detection
OTV:	Odour Threshold Value
BCF:	Bio Concentration Factors
BEI:	Biological Exposure Index

This document is copyright.