

**SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING**

**Product Identifier**

<b>Product name</b>	Jeffries Raw Mulches
<b>Synonyms</b>	Jeffries Forever Black, Jeffries Forever Brown, Jeffries Forever Red, other raw mulch products
<b>Other means of identification</b>	Not Available

**Relevant identified uses of the substance or mixture and uses advised against**

<b>Relevant identified uses</b>	Mulching for decorative, soil health and related benefits
---------------------------------	---

**Details of the supplier of the safety data sheet**

<b>Registered company name</b>	Jeffries Group
<b>Address</b>	412 Hanson Road North Wingfield South Australia 5013 Australia
<b>Telephone</b>	+61 8 8368 3588
<b>Fax</b>	+61 8 8368 3588
<b>Website</b>	www.jeffries.com.au
<b>Email</b>	info@jeffries.com.au

**Emergency telephone number**

<b>Association / Organisation Not Available</b>	Chemwatch
<b>Emergency telephone numbers</b>	Australia: +61 1800 951 288 (Toll Free – 24x7) New Zealand: +64 800 700 112 (Toll Free – 24x7)
<b>Other emergency telephone numbers</b>	+61 8 8368 3555 (Business Hours)

**SECTION 2 HAZARDS IDENTIFICATION**

**Classification of the substance or mixture**

**NON-HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.**

<b>Poisons Schedule</b>	Not Applicable
<b>Classification [1]</b>	Not Applicable

**Label elements**

<b>Hazard pictogram(s)</b>	Not Applicable
<b>SIGNAL WORD</b>	<b>NOT APPLICABLE</b>

# Jeffries Raw Mulches – Safety Data Sheet

---

Hazard statement(s)	Not Applicable
Precautionary statement(s) Prevention	Not Applicable
Precautionary statement(s) Response	Not Applicable
Precautionary statement(s) Storage	Not Applicable
Precautionary statement(s) Disposal	Not Applicable

## **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

### **Substances**

See section below for composition of Mixtures

### **Mixtures**

CAS No	%[weight]	Name
Not Available	100	Ingredients determined not to be hazardous

## **SECTION 4 FIRST AID MEASURES**

### **Description of first aid measures**

<b>Eye Contact</b>	If this product comes in contact with eyes: <ul style="list-style-type: none"><li>- Wash out immediately with water.</li><li>- If irritation continues, seek medical attention.</li><li>- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li></ul>
<b>Skin Contact</b>	If skin or hair contact occurs: <ul style="list-style-type: none"><li>- Flush skin and hair with running water (and soap if available).</li><li>- Seek medical attention in event of irritation.</li></ul>
<b>Inhalation</b>	<ul style="list-style-type: none"><li>- If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li><li>- Other measures are usually unnecessary.</li></ul>
<b>Ingestion</b>	<ul style="list-style-type: none"><li>- Immediately give a glass of water.</li><li>- First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li></ul>

### **Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

# Jeffries Raw Mulches – Safety Data Sheet

## SECTION 5 FIREFIGHTING MEASURES

### Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

### Special hazards arising from the substrate or mixture

<b>Fire Incompatibility</b>	None known.
-----------------------------	-------------

### Advice for firefighters

<b>Fire Fighting</b>	<ul style="list-style-type: none"><li>- Alert Fire Brigade and tell them location and nature of hazard.</li><li>- Wear breathing apparatus plus protective gloves in the event of a fire.</li><li>- Prevent, by any means available, spillage from entering drains or water courses.</li><li>- Use fire fighting procedures suitable for surrounding area.</li><li>- <b>DO NOT</b> approach containers suspected to be hot.</li><li>- Cool fire exposed containers with water spray from a protected location.</li><li>- If safe to do so, remove containers from path of fire.</li><li>- Equipment should be thoroughly decontaminated after use.</li></ul>
<b>Fire / Explosion Hazard</b>	<ul style="list-style-type: none"><li>- Non-combustible.</li><li>- Not considered a significant fire risk, however containers may burn.</li></ul>
<b>HAZCHEM</b>	Not Applicable

## SECTION 6 ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

See section 8

### Environmental precautions

See section 12

### Methods and material for containment and cleaning up

<b>Minor Spills</b>	<ul style="list-style-type: none"><li>- Clean up all spills immediately.</li><li>- Avoid contact with skin and eyes.</li><li>- Wear impervious gloves and safety glasses.</li><li>- Use dry clean up procedures and avoid generating dust.</li><li>- Vacuum up (consider explosion-proof machines designed to be grounded during storage and use).</li><li>- <b>Do NOT</b> use air hoses for cleaning.</li><li>- Place spilled material in clean, dry, sealable, labelled container.</li></ul>
<b>Major Spills</b>	<ul style="list-style-type: none"><li>- Clear area of personnel and move upwind.</li><li>- Alert Fire Brigade and tell them location and nature of hazard.</li><li>- Control personal contact with the substance, by using protective equipment and dust respirator.</li><li>- Prevent spillage from entering drains, sewers or water courses.</li></ul>

# Jeffries Raw Mulches – Safety Data Sheet

	<ul style="list-style-type: none"> <li>- Avoid generating dust.</li> <li>- Sweep, shovel up. Recover product wherever possible.</li> <li>- Put residues in labelled plastic bags or other containers for disposal.</li> <li>- If contamination of drains or waterways occurs, advise emergency services.</li> </ul>
--	---

Personal Protective Equipment advice is contained in Section 8 of the SDS.

## **SECTION 7 HANDLING AND STORAGE**

### **Precautions for safe handling**

<b>Safe handling</b>	<ul style="list-style-type: none"> <li>- Limit all unnecessary personal contact.</li> <li>- Wear protective clothing when risk of exposure occurs.</li> <li>- Use in a well-ventilated area.</li> <li>- Avoid contact with incompatible materials.</li> <li>- When handling, <b>DO NOT eat, drink or smoke.</b></li> <li>- Keep containers securely sealed when not in use.</li> <li>- Avoid physical damage to containers.</li> <li>- Always wash hands with soap and water after handling.</li> <li>- Work clothes should be laundered separately.</li> <li>- Use good occupational work practice.</li> <li>- Observe manufacturer's storage and handling recommendations contained within this SDS.</li> <li>- Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.</li> </ul>
<b>Other information</b>	<ul style="list-style-type: none"> <li>- Store in original containers.</li> <li>- Keep containers securely sealed.</li> <li>- Store in a cool, dry area protected from environmental extremes.</li> <li>- Store away from incompatible materials and foodstuff containers.</li> <li>- Protect containers against physical damage and check regularly for leaks.</li> <li>- Observe manufacturer's storage and handling recommendations contained within this SDS.</li> </ul> <p>For major quantities:</p> <ul style="list-style-type: none"> <li>- Consider storage in bunded areas - ensure storage areas are isolated from sources of community water (including stormwater, ground water, lakes and streams).</li> <li>- Ensure that accidental discharge to air or water is the subject of a contingency disaster management plan; this may require consultation with local authorities.</li> </ul>

### **Conditions for safe storage, including any incompatibilities**

<b>Suitable container</b>	<ul style="list-style-type: none"> <li>- Lined metal can, lined metal pail/ can.</li> <li>- Plastic pail.</li> <li>- Polyliner drum.</li> <li>- Packing as recommended by manufacturer.</li> </ul>
---------------------------	--

# Jeffries Raw Mulches – Safety Data Sheet

	- Check all containers are clearly labelled and free from leaks.
<b>Storage incompatibility</b>	Avoid contamination of water, foodstuffs, feed or seed. None known

## SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

### Control parameters

### OCCUPATIONAL EXPOSURE LIMITS (OEL)

### INGREDIENT DATA

Not Available

### EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
Jeffries Raw Mulches	Not Available	Not Available	Not Available	Not Available

Ingredient	Original IDLH	Revised IDLH
Jeffries Raw Mulches	Not Available	Not Available

### Exposure controls

<b>Appropriate engineering controls</b>	<p>Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.</p> <p>The basic types of engineering controls are:</p> <ul style="list-style-type: none"> <li>- Process controls which involve changing the way a job activity or process is done to reduce the risk.</li> <li>- Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.</li> <li>- Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use.</li> <li>- Employers may need to use multiple types of controls to prevent employee overexposure.</li> </ul> <p>Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction.</p> <p>If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory protection should be considered.</p> <p>Such protection might consist of:</p>
---	--

# Jeffries Raw Mulches – Safety Data Sheet

- (a): particle dust respirators, if necessary, combined with an absorption cartridge;
- (b): filter respirators with absorption cartridge or canister of the right type;
- (c): fresh-air hoods or masks.

Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant.


Type of Contaminant:	Air Speed:
direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion)	1-2.5 m/s (200-500 f/min.)
grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial velocity into zone of very high rapid air motion).	2.5-10 m/s (500-2000 f/min.)

Within each range the appropriate value depends on:

Lower end of the range	Upper end of the range
1: Room air currents minimal or favourable to capture	1: Disturbing room air currents
2: Contaminants of low toxicity or of nuisance value only.	2: Contaminants of high toxicity
3: Intermittent, low production.	3: High production, heavy use
4: Large hood or large air mass in motion	4: Small hood-local control only

Simple theory shows that air velocity falls rapidly with distance away from the opening of a simple extraction pipe. Velocity generally decreases with the square of distance from the extraction point (in simple cases). Therefore, the air speed at the extraction point should be adjusted, accordingly, after reference to distance from the contaminating source. The air velocity at the extraction fan, for example, should be a minimum of 4-10 m/s (800-2000 f/min) for extraction of crusher dusts generated 2 metres distant from the extraction point. Other mechanical considerations, producing performance deficits within the extraction apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are installed or used.

# Jeffries Raw Mulches – Safety Data Sheet

<p><b>Personal protection</b></p>	
<p><b>Eye and face protection</b></p>	<ul style="list-style-type: none"> <li>- Safety glasses with side shields</li> <li>- Chemical goggles.</li> <li>- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent]</li> </ul>
<p><b>Skin protection</b></p>	<p>See Hand protection below</p>
<p><b>Hands/feet protection</b></p>	<p>The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.</p> <p>The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.</p> <p>Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.</p> <p>Suitability and durability of glove type is dependent on usage. Important factors in the selection of gloves include:</p> <ul style="list-style-type: none"> <li>- frequency and duration of contact,</li> <li>- chemical resistance of glove material,</li> <li>- glove thickness and</li> <li>- dexterity</li> </ul> <p>Select gloves tested to a relevant standard (e.g. Europe EN 374, US F739, AS/NZS 2161.1 or national equivalent).</p> <ul style="list-style-type: none"> <li>- When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended.</li> <li>- When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes</li> </ul>

## Jeffries Raw Mulches – Safety Data Sheet

	<p>according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended.</p> <ul style="list-style-type: none"><li>- Some glove polymer types are less affected by movement and this should be taken into account when considering gloves for long-term use.</li><li>- Contaminated gloves should be replaced.</li></ul> <p>As defined in ASTM F-739-96 in any application, gloves are rated as:</p> <ul style="list-style-type: none"><li>- Excellent when breakthrough time &gt; 480 min</li><li>- Good when breakthrough time &gt; 20 min</li><li>- Fair when breakthrough time &lt; 20 min</li><li>- Poor when glove material degrades</li></ul> <p>For general applications, gloves with a thickness typically greater than 0.35 mm, are recommended.</p> <p>It should be emphasised that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material. Therefore, glove selection should also be based on consideration of the task requirements and knowledge of breakthrough times.</p> <p>Glove thickness may also vary depending on the glove manufacturer, the glove type and the glove model. Therefore, the manufacturers' technical data should always be taken into account to ensure selection of the most appropriate glove for the task. Note: Depending on the activity being conducted, gloves of varying thickness may be required for specific tasks. For example:</p> <ul style="list-style-type: none"><li>- Thinner gloves (down to 0.1 mm or less) may be required where a high degree of manual dexterity is needed. However, these gloves are only likely to give short duration protection and would normally be just for single use applications, then disposed of.</li><li>- Thicker gloves (up to 3 mm or more) may be required where there is a mechanical (as well as a chemical) risk i.e. where there is abrasion or puncture potential.</li></ul> <p>Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.</p> <p>Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present.</p> <ul style="list-style-type: none"><li>- polychloroprene.</li><li>- nitrile rubber.</li><li>- butyl rubber.</li><li>- fluorocautchouc.</li><li>- polyvinyl chloride.</li></ul> <p>Gloves should be examined for wear and/ or degradation constantly.</p>
--	---



# Jeffries Raw Mulches – Safety Data Sheet

<b>Body protection</b>	See Other protection below
<b>Other protection</b>	No special equipment needed when handling small quantities. <b>OTHERWISE:</b> <ul style="list-style-type: none"> <li>- Overalls.</li> <li>- Barrier cream.</li> <li>- Eyewash unit.</li> </ul>

## Respiratory protection

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

- Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.
- The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).
- Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.
- Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.
- Use approved positive flow mask if significant quantities of dust becomes airborne.
- Try to avoid creating dust conditions.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Appearance</b>	Red, Brown, black solids		
<b>Physical state</b>	Divided Solid	<b>Relative density (Water =1)</b>	Not Available
<b>Odour</b>	Mild earthy to no odour	<b>n-octanol / water</b>	Not Available
<b>Odour threshold</b>	Not Available	<b>Auto-ignition temperature (°C)</b>	Not Available
<b>pH (as supplied)</b>	Not Available	<b>Decomposition temperature</b>	Not Available
<b>Melting point / freezing point (°C)</b>	Not Applicable	<b>Viscosity (cSt)</b>	Not Available
<b>Initial boiling point and boiling range (°C)</b>	Not Applicable	<b>Molecular weight (g/mol)</b>	Not Applicable
<b>Flash point (°C)</b>	Not Available	<b>Taste</b>	Not Available
<b>Evaporation rate</b>	Not Applicable	<b>Explosive properties</b>	Not Available
<b>Flammability</b>	Not Available	<b>Oxidising properties</b>	Not Available
<b>Upper Explosive Limit (%)</b>	Not Available	<b>Surface Tension (dyn/cm or mN/m)</b>	Not Applicable
<b>Lower Explosive Limit (%)</b>	Not Available	<b>Volatile Component (%vol)</b>	Not Available

# Jeffries Raw Mulches – Safety Data Sheet

Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Partly miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

## SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

## SECTION 11 TOXICOLOGICAL INFORMATION

### Information on toxicological effects

Inhaled	<p>The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.</p> <p>Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled.</p> <p>If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures.</p>
Ingestion	The material has <b>NOT</b> been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.
Eye	Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may cause transient discomfort characterised by tearing or conjunctival redness (as with windburn). Slight abrasive damage may also result.

## Jeffries Raw Mulches – Safety Data Sheet

<b>Chronic</b>	<p>Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless, exposure by all routes should be minimised as a matter of course.</p> <p>Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis, caused by particles less than 0.5 micron penetrating and remaining in the lung.</p>
----------------	--

<b>Jeffries Raw Mulches</b>	<b>TOXICITY</b>	<b>IRRITATION</b>
	Not Available	Not Available
<b>Legend:</b>	<p>1. Value obtained from Europe ECHA Registered Substances - Acute toxicity</p> <p>2. * Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances</p>	

<b>Acute Toxicity</b>	<i>Data either not available or does not fill the criteria for classification</i>	<b>Carcinogenicity</b>	<i>Data either not available or does not fill the criteria for classification</i>
<b>Skin Irritation/Corrosion</b>	<i>Data either not available or does not fill the criteria for classification</i>	<b>Reproductivity</b>	<i>Data either not available or does not fill the criteria for classification</i>
<b>Serious Eye Damage/Irritation</b>	<i>Data either not available or does not fill the criteria for classification</i>	<b>STOT - Single Exposure</b>	<i>Data either not available or does not fill the criteria for classification</i>
<b>Respiratory or Skin sensitisation</b>	<i>Data either not available or does not fill the criteria for classification</i>	<b>STOT - Repeated Exposure</b>	<i>Data either not available or does not fill the criteria for classification</i>
<b>Mutagenicity</b>	<i>Data either not available or does not fill the criteria for classification</i>	<b>Aspiration Hazard</b>	<i>Data either not available or does not fill the criteria for classification</i>

### SECTION 12 ECOLOGICAL INFORMATION

#### Toxicity

Jeffries Raw Mulches	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	Not Available	Not Available	Not Available	Not Available	Not Available
<b>Legend:</b>	<p>Extracted from</p> <ul style="list-style-type: none"> <li>- 1. IUCLID Toxicity Data</li> <li>- 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity</li> <li>- 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated)</li> </ul>				

# Jeffries Raw Mulches – Safety Data Sheet

	<ul style="list-style-type: none"> <li>- 4. US EPA, Ecotox database - Aquatic Toxicity Data</li> <li>- 5. ECETOC Aquatic Hazard Assessment Data</li> <li>- 6. NITE (Japan) - Bioconcentration Data</li> <li>- 7. METI (Japan) - Bioconcentration Data</li> <li>- 8. Vendor Data</li> </ul>
--	--

**DO NOT** discharge into sewer or waterways.

## Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

## Bio-accumulative potential

Ingredient	Bioaccumulation
	No Data available for all ingredients

## Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

## SECTION 13 DISPOSAL CONSIDERATIONS

### Waste treatment methods

<b>Product / Packaging disposal</b>	<ul style="list-style-type: none"> <li>- <b>DO NOT</b> allow wash water from cleaning or process equipment to enter drains.</li> <li>- It may be necessary to collect all wash water for treatment before disposal.</li> <li>- In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.</li> <li>- Where in doubt contact the responsible authority.</li> <li>- Recycle wherever possible or consult manufacturer for recycling options.</li> <li>- Consult State Land Waste Management Authority for disposal.</li> <li>- Bury residue in an authorised landfill.</li> <li>- Recycle containers if possible, or dispose of in an authorised landfill.</li> </ul>
-------------------------------------	--

## SECTION 14 TRANSPORT INFORMATION

### Labels Required

<b>Marine Pollutant</b>	NO
<b>HAZCHEM</b>	Not Applicable

**Land transport (ADG):** NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

**Air transport (ICAO-IATA / DGR):** NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

# Jeffries Raw Mulches – Safety Data Sheet

---

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code: NOT APPLICABLE

## **SECTION 15 REGULATORY INFORMATION**

Safety, health and environmental regulations / legislation specific for the substance or mixture

Not Applicable

## **SECTION 16 OTHER INFORMATION**

### **SDS Version Summary**

Issue #	Issue Date	Sections Updated
1	01/08/2011	First version
2	01/08/2016	Second version
3	04/12/2020	GHS compliant version

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

### **Definitions and abbreviations**

PC – TWA:	Permissible Concentration-Time Weighted Average
PC – STEL:	Permissible Concentration-Short Term Exposure Limit
IARC:	International Agency for Research on Cancer
ACGIH:	American Conference of Governmental Industrial Hygienists
STEL:	Short Term Exposure Limit
TEEL:	Temporary Emergency Exposure Limit.
IDLH:	Immediately Dangerous to Life or Health Concentrations
OSF:	Odour Safety Factor
NOAEL:	No Observed Adverse Effect Level
LOAEL:	Lowest Observed Adverse Effect Level
TLV:	Threshold Limit Value
LOD:	Limit of Detection
OTV:	Odour Threshold Value
BCF:	Bio Concentration Factors
BEI:	Biological Exposure Index

This document is copyright.